

Outdoor 4G / LTE PTZ Speed Dome Camera 1.3MP FEATURES

- Supporter 4G, Support AP mode
- Supporter up to 128 GB TF card storage
- 2.8-12mm 4 x optical zoom autofocus lens
- Pan /Tilt control, horizontal: 355° and vertical: 90°
- PTZ Speed Dome Camera
- Waterproof IP66
- Speaker
- 1.3MP
- Power Supply 12V 2A
- 6 pcs. LED Infrared LED, 60m Night Vision
- Android and IOS App and Professional CMS, PC client Software
- Widespread use in open area as a building site, farm, forest, etc.





KAM-U-SDOM13MP-4G

SPECIFICATIONS

Alarm	:	Sender billeder til den angivne mail adresse, alarm uploader billeder og videoer til FTP-serveren, alarm sender billeder og videoer til Micro SD-kort, alarm sender besked til mobiltelefon
Andet	:	PTZ Horizon:0~355°. Vertical:0~90°, ONVIF 2.1
Billede	:	20fps
Forsyning	:	DC 12V 2A (5.5mm)
Kompression	:	H.264
Linse	:	2.8-12mm 4X optical zoom auto focus lens
Motion detect	:	Indstil 4 uafhængig detekteringsområde (1-100 følsomhed kan indstilles)
Netværk	:	GSM 3G/4G
Opløsning	:	960P(1280x960), 720P(1280x720), Q720P(640x352)
Protokol	:	TCP/IP, HTTP, TCP, ICMP, UDP, ARP, IGMP, SMTP, FTP, DHCP, DNS, DDNS, NTP, UPNP, RTSP etc
Sensor	:	1/3" AR0130 low lux CMOS
Temperatur	:	-20~+60°C





Svensk Binär Teknik

KAM-U-SDOM13MP-4G

SPECIFICATIONS

Weight	:	1.3kg
Dimensioner	:	215x239x137mm (HxBxD)



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.