

7 "Robust Tablet PC, IP65, 850 Nits with capacitive multi-touch, Android

FEATURES

- Qualcomm® Snapdragon™ 660 Octa-Core, 1.9GHz
- 4GB LPDDR4 SDRAM
- 32GB eMMC Storage
- OS Support: Android 12
- IP65, MIL-STD-810H
- vibration, shock and 5 feet drop resistance
- 7 "WSVGA, 1024 x 600
- Capacitive touch with Gorilla glass
- 850 nits
- 2 x USB-C 3.1
- 2x USB 2.0
- 1 x RS232
- 1 x Micro SD slot, 1 x Micro SIM slot
- 1 x Docking connector
- 1 x Gigabit Ethernet (RJ45)
- Wi-Fi
- Camera: 2MP front, 8MP backside with LED FLASH
- AC adapter (65W, 100-240V AC, 50 / 60Hz)
- 9~36 VDC input
- Ignition sense with delay on/off setting
- UPS backup battery
- Vehicle power protection (ISO7637-2)



SPECIFICATIONS

CPU	:	Intel® Celeron® N2930 processor 1.83GHz
Operating Temp.	:	-20°C to +50°C
Batteri	:	2900 mAh, 7.5V standard battery Optional 4200mAh hot swappable battery
Chok/Vibration	:	Vibration, shock and 5' drop resistant
Harddisk	:	128GB / 256GB SSD, optional FIPS 140-2 certified SSD (64~256GB)
Hukommelse	:	4GB DDR3L, expandable to 8GB
I/O	:	2 x USB-A 3.0 1 x RS232 1 x Micro SD slot, 1 x Micro SIM slot 1 x Docking connector 1 x Gigabit Ethernet (RJ45)
IP-Tæthed	:	IP65 and MIL-STD-810G certified
Kamera	:	2MP front camera 8MP auto focus rear camera with LED flash
Kontrast	:	850 nits, Optical Bonding with AR/AF solution
Netværk	:	Gigabit Ethernet (RJ45) NFC Wi-Fi 802.11 a/b/g/n/ac GNSS (GPS, GLONASS, optional BeiDou)
OS SUPPORT	:	Windows 10, Windows 8





Svensk Binär Teknik

TABLET7-R-ANDROID

SPECIFICATIONS

Strømforsyning : AC adapter (65W, 100-240V AC, 50/60Hz)



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.