

7 "Panel PC fanless design with projected touch 2x serial Intel Atom E3815 1.46GHz ip65 close aluminum front

FEATURES

Panel PC 7 "
 Intel Atom
 resolution 1024 x 600 high resolution LCD panel on an industrial quality at 2 X RS232 (1 can be selected for RS422 / 485)
 2 x USB
 IP65 front
 projective capacitive touchscreen
 Onboard Intel® Atom™ -behandler E3815 (E3827 and E3845 optional)
 Standard 2GB DDR3L memory, up to 8GB
 2.5 "SSD space < br> 12V DC power input
 panel mount and VESA 50x50, 75x75 mm | Option: WiFi / BT
 OS support: Windows 8 32/64 bit, Windows 7 Pro for Embedded 64 bit, 64 bit WES7 < ! -cke_protected {} {}% C 3 C!% 2D 2D%% 20p 2D 2D% 3E% ->





SPECIFICATIONS

CPU	:	Intel Atom E3845 1.91GHz
USB	:	1 x USB 3.0, 1 x USB 2.0
Operating Temp.	:	-10°C ~ 50°C (needs special SSD, RAM)
Andet	:	Optional Wi-Fi/BT
Approval	:	CE/FCC Class B
Ethernet	:	2 x Gbe
IP-Tæthed	:	IP65 front bezel
OS SUPPORT	:	Windows 8 32/64 bit, Windows 7 Pro for Embedded 64 bit, WES7 64 bit
Porte	:	1 x RS-232/422/485 Selectable under BIOS, 1 X RS-232
Skærm	:	7" TFT-LCD Max. Resolution 1024 x 600 Luminance (cd/m2) 500 Contrast 800:1 Max. Color 16.7M View Angle (H/V) 150/150 Backlight Lifetime(hrs)50000
Touch	:	Projected capacitive Touch Interface USB
Udgange	:	DP





Svensk Binär Teknik

IPP7T

SPECIFICATIONS

Weight	:	1.5 Kg
Dimensioner	:	(mm) 211.5 x 143.5 x 52



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.