

15" waterproof Panel PC IP65 / IP69K for & rear i3 or i5 processor, M12 connectors, flat front design, pcap touch

FEATURES

Build To Order

15 "Panel PC (optional: 17" / 19 "contact us)
 Option: CPU Intel 6th gen. Core i3-6100 or i5
 4GB 1 x SO-DIMM DDR 3L (option 8GB)
 Projective Capacitive Touch (pcap)
 1x USB2.0 M12 8 pin
 1x RS232 / 422/485 COM1 M12
 1x Ethernet M12
 1x POWER M12 3 PIN 9 ~ 36V DC
 1x 2.5 "SATA SSD
 1x mPCIe slot for Option: Wifi / BT
 324 x 399 x 53mm
 Available with OS, RAM, CPU, SSD installed
 Option RFID on the side
 Option: 1000nits
 Option: 2 x M12 can be used to ONE of the following extensions:
 2x USB2.0
 1x USB 3.0
 1x LAN
 1x COM < br> 1x CAN





SPECIFICATIONS

CPU	:	i3-6100, Option i5
USB	:	1 x M12 8-pin for USB 2.0 with waterproof cap, Option 2 x USB 2.0, 1 x USB 3.0
Operating Temp.	:	-20°C ~ +60°C
Farve	:	Max. 16.5M
Approval	:	CE/FCC class A
Betragningsvinkel	:	170(H)/170(v) (1000 nits model 170(H)/160(v))
Effekt	:	Arround 42W
Ethernet	:	1xM12 8 pin
Forsyning	:	9~36V DC, M12, 3 Pin
Hukommelse	:	Onboard 4GB DDR3L 1600MHz, option 8GB
IP-Tæthed	:	Full IP65/IP69K
Kontrast	:	1000:1





Svensk Binär Teknik

IPP15-IX-IP65

SPECIFICATIONS

OS SUPPORT	:	Win7, win8, Win 10
Porte	:	1xM12 COM 1 RS232/422/485
RFID	:	Option!
Skærm	:	15" 1280x1024, 350 Nits. Option: 1000nits
Touch	:	PCAB, Option Resistive or glas touch lighttransmission from 80% to 90%
Weight	:	8kg



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.