

32" Professional CCTV LCD Monitor, S-Video, HDMI, PIP, PBP 1920x1080

FEATURES

32" TFT CCTV LCD MONITOR

High resolution 1920x1080

Vesa mount 200x200mm

Professional design for CCTV 24/7 operation

7 International Language OSD Menu

HDMI input (DVI compatible)

PIP/PBP function

BNC video looping out

3DNR (3D noise reduction) function

Anti Burn-in function prevent LCD panel from Burn-In

remote control is not included need to be ordered separately





SPECIFICATIONS

Operating Temp.	:	5 to 40 degress
Farve	:	Black
Approval	:	CE,FCC,RoHS
Betjening	:	front: Source/Exit, Power, +, -, Menu/enter
Formater	:	16:9
Input	:	1xD-SUB (DB15HDM), 1xHDMI, 1xS-Video in, 1x RCA Audio (R/L), PC Audio Input (ø3.5 Jack), 1x Alarm trigger
Kontrast	:	5000:1
Luftfugtighed	:	Strømforsyning
Mål og vægt	:	15.5Kg
Opløsning	:	1920 x 1080
OSD	:	english, Francais, Deutsch, Espanol, Italiano, Russian, Chinese
Output	:	Video Output(BNC) x 1





Svensk Binär Teknik

MON32-TFT

SPECIFICATIONS

Tilbehør	:	not included remote controll
VESA standard	:	200x200 mm
Dimension	:	774 (W) x 548 (H) x 260 (D)



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.