

IPP15.6I3-1000NITS

15.6" Panel PC I3, 1000nits, 1920x1080, IP65 front,
Multi touch RS232/422/485, 4xUSB, VGA & HDMI
output

FEATURES

- 15.6" TFT, Resolution 1920x1080
- CPU I3-5015U
- 1000 Nits
- Light sensor, (auto dimming on special request)
- IP64 front
- 1xRJ45
- 2x USB2.0
- 2x USB3.0
- 1x RS232/422/485
- 1x RS232
- BT
- Wifi
- HDMI,VGA output

OS support Windows 10, Linux



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk



SPECIFICATIONS

CPU	:	i3
USB	:	4
Serial	:	2
Operating Temp.	:	Operating Temp: -10°C~60°C (14°F~140°F)
Effekt	:	≤45W (≤2.5W when standby)
Ethernet	:	1
Forsyning	:	12VDC
Grafik	:	Intel HD graphics 5500
Mål og vægt	:	4.06kg
OS SUPPORT	:	WINDOWS 10; Linux
Skærm	:	15.6
Touch	:	Multi Point Capacitive touch





Svensk Binär Teknik

IPP15.6I3-1000NITS

SPECIFICATIONS

Dimension	:	408mm×259mm×50.5mm
Resolution	:	1920x1080
RAM	:	4GB
WiFi	:	2.4Ghz



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.