

15.6" industrial 6-sided IP65 Panel PC with resistive touch and Intel Celeron J1900 CPU, stainless steel FEATURES

15.6" PanelPC TFT-LCD with 1920x1080 resolution.
300 cd/m² (nits) luminance.
Contrast ratio: 500:1
Resistive Touch (USB)
Intel Celeron J1900 SoC
Option: i3,i5,i7 price reservation (when ordering, contact our sales department)
DDR3L/DDR4 (depends on CPU)
2 x USB port
1 x Gigabit Ethernet.
Robust stainless steel housing
6 pages IP65 rating for industrial environments.
VESA mounting 100/75 mm
Wall mounting bracket included
422 x 272 x 47mm (WxHxD)
Supply voltage: 24VDC
Power supply included





SPECIFICATIONS

CPU	:	Intel® Celeron J1900 SoC Integrate / optional Core i3 i5 i7
USB	:	2*USB
Serial	:	1x RS232
Operating Temp.	:	0 ~ 60° C
IP-Tæthed	:	Full IP65
Lysstyrke	:	300 cd/m ²
Montering	:	Desk/wall-mounting,VESA mounting
Mål og vægt	:	391x253x65mm / 4.6KG
Netværk	:	1 x RJ45 Intel® Ethernet Connection 10/100/1000 Mbps
Opløsning	:	1920*1080
OS SUPPORT	:	Win10/Win7/Ubunt/CentOS
SATA	:	1 x 2.5 inch(Internal)





SPECIFICATIONS

Strømforsyning	:	DC 12V (24V input optional)
RAM	:	1 x DDR3L SO-DIMM / DDR4
Antal LAN Porte	:	1
Antal USB	:	2
Antal Serial	:	1

