

Full IP67 Fanless Embedded PC with Intel® Atom® Processor E3845, VGA, 2 GbE LAN, 2 USB, 2 COM and 9 to 36 VDC

FEATURES

- 1.91 GHz Intel Atom E3845 CPU
- Wall mount/VESA mount
- 1x 204-Pin SO-DIMM DDR3L-1066/1333Mhz, MAX. 8GB
- 2 x RS232/422/485 (M12)
- 2 x USB 2.0 (M12)
- 2 x 10/100/1000 Mbps Ethernet Intel i210-IT (M12)
- 1 x VGA
- 1 x 2.5" HDD drive bay (max. up 9.5 mm height)
- 1 x mSATA (enabled in BIOS setting)
- 1 x CFast™
- 30°C to +60°C
- 210 x 366.83 x 83 mm (8.27" x 14.44" x 3.27")
- 9 to 36 VDC power input (M12)
- OS Support: Win 10 IoT, WE8S, WES7, Linux





SPECIFICATIONS

CPU	:	Intel® Atom™ processor E3845 1.91 GHz
Memory Type	:	DDR3
Max. Memory Capacity	:	8
Chipset	:	SoC Integrated
Power Input	:	DC 9~36V
USB	:	2 x USB 2.0 (M12)
Serial	:	2 x RS-232/422/485 (M12)
Operating Temp.	:	working temperature -20 °C til 60 °C (with E3845, W.T. SSD/DRAM)
BIOS	:	AMI
Antenne	:	4 x N-jack antenna opening with waterproof design
Approval	:	CE, FCC Class A
Chok/Vibration	:	vibration 3 Grms with SSD (5 to 500Hz, X, Y, Z directions)





SPECIFICATIONS

Forsyning	:	9~36 VDC power input (M12)
Luftfugtighed	:	10% to 95% , non-condensing
Materiale	:	Aluminum die-casting and heavy-duty steel, IP67
Montering	:	VESA, Wall Mount Ready
Mål og vægt	:	4.31 kg (9.5 lb)/5.1 kg (11.24 lb)
OS SUPPORT	:	Win 10 IoT, WE8S, WES7, Linux
SIM kort	:	1 x SIM slot
VGA	:	1 x VGA (M12)
Watchdog	:	255 levels, 1 to 255 sec.
RAM	:	1 x 204-pin SO-DIMM DDR3L-1066/1333, up to 8 GB
Dimensioner	:	210 x 366.83 x 83 mm (8.27" x 14.44" x 3.27")





Svensk Binär Teknik

EPC-BT-IP67-ATOM

SPECIFICATIONS

Antal LAN Porte	:	2
Antal USB	:	2
Antal Serial	:	2



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.