



## 10.1 Fanless Industrial PC with Touchscreen, IP65, Intel I3 Gen12 CPU

### FEATURES

- 10.1" screen size
- Resolution 1280x800
- Capacitive Touchscreen (Resistive touch on request)
- Fanless industrial design
- Intel i3-1215U processor
- Up to 32GB RAM, Up to 1TB storage
- 2 x USB3.0, 2 x USB2.0
- 1x RS485, 1x RS232
- 1 x HDMI, 1 x VGA
- 2x RJ45 Ethernet
- Supports Windows 11/Linux
- IP65 front rated aluminum housing
- VESA75 or Panel Mount
- 30 ~ +70°C (special components required)
- Dimensions: 266.1 x 181.9 x 52 mm
- Power Input: 12VDC (6A)





## SPECIFICATIONS

|                 |   |                                 |
|-----------------|---|---------------------------------|
| CPU             | : | i3-1215U                        |
| Serial          | : | 1 x RS232, 1 x RS485            |
| Ethernet        | : | 2 x RJ45 (Gigabit Ethernet)     |
| Lysstyrke       | : | 400 cd/m²                       |
| Opløsning       | : | 1280x800                        |
| OS SUPPORT      | : | Windows / Linux                 |
| Skærm           | : | 10.1"                           |
| Touch           | : | Capacitive                      |
| Udgange         | : | 1 x HDMI, 1 x VGA               |
| RAM             | : | Options 4GB / 8GB / 16GB / 32GB |
| Drifttemperatur | : | -30°C to +70°C                  |
| Dimensioner     | : | 266.1 x 181.9 x 52 mm           |





Svensk Binär Teknik

IPP10.1-I3

## SPECIFICATIONS

|                 |   |   |
|-----------------|---|---|
| Antal LAN Porte | : | 2 |
| Antal USB       | : | 4 |
| Antal Serial    | : | 2 |



Binär Teknik AB  
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.