

IPP12-IP65M

12" Panel-PC • IP65 tät - godkänd för marin bruk FEATURES

IP65 tät front 12" panel-PC med touch



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.



SPECIFICATIONS

CPU	:	Intel Core i3 2310M 2.5GHz CPU
Chipset	:	Intel QM67
Driftstemperatur	:	0° til 60° C
Drev	:	1 x 2.5" SATA harddisk eller SSD Monteret med 128GB SSD Harddisk
Hukommelse	:	2 x 204-pin DDR3 SO-DIMM Maks. 8 GB Monteret med 4GB RAM
Kabinet	:	Stålkabinet og IP65 tæthed i fronten
Netværk	:	1 x Intel 82579L 10/100/1000 Mbit Ethernet m/RJ45-stik 1 x Realtek RTL811C 10/100/1000 Mbit Ethernet m/RJ45-stik
OS SUPPORT	:	Understøtter Windows XP, 7/8 embedded 7 samt Server 2008. Linux Ubuntu 10.x
Porte	:	1 x RS232, 1 x RS232/422/485 alle med DB9 hanstik
Skærm	:	12" TFT, 1024 x 768 resistive touch
Strømforsyning	:	Indbygget 100-240VAC strømforsyning
Tastatur/mus	:	Via USB porte





Svensk Binär Teknik

IPP12-IP65M

SPECIFICATIONS

Dimensioner : 270 x 330 x



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.