

17" Robust PC-surfplatta, IP65, LED 1024 x 600, Wifi,
Kapacitiv multitouch, 500 nits

FEATURES

- 7" Robust Tablet PC med IP65
- Intel® Atom™ E3815 1,46GHz
- 2GB DDR3L SODIMM
- mSATA SSD, Micro SD-kortplats
- inbyggd 3-axlig sensor, dubbla högtalare
- 500 Nits LED-bakgrundsbelysning
- Capcitive Multi Touch
- 5x programmerbar knapp
- 2x Ljudjusteringsknapp
- 1X Kontrastjusteringsknapp
- 1 x RS232 (COM1 med ström)
- 1 x RS-232 / 422/485
- 1 x USB 2.0
- 1 x USB 3.0
- 1 x Dual Micro SIM-kortplats
- 1 x CAN-buss (SAE J1939)
- 1 x ljuduttag
- 1 x 9-36V DC-ingång
- Fordonskraftsskydd (ISO7637-2)
- Vesa 75/100 Montering



SPECIFICATIONS

CPU	:	Intel® Atom™ E3815 1.46GHz, optional Intel® Atom™ E3826 1.46GHz
Driftstemperatur	:	-30°C to +60°C
Chok/Vibration	:	Vibration (operating) : MIL-STD-810G, Method 514.7 c2/c3/c4
Harddisk	:	mSATA SSD, Micro SD slot
Hukommelse	:	2GB DDR3L SODIMM
I/O	:	1 x RS232, 1 x RS-232/422/485, 1 x USB 3.0, 1 x USB 2.0, 1 x Dual Micro SIM slot, 1 x CAN bus, 2 x DI, 2 x DO, 1 x Audio jack
IP-Tæthed	:	IEC 60529 IP65 (except bottom side I/O)
Montering	:	VESA 75
Netværk	:	Gigabit Ethernet (RJ45)
Skærm	:	7" WSVGA TFT LCD (1024 x 600), 500 nits brightness
Touch	:	Capacitive multi touch (PCT)
Vikt	:	1.25kg



SPECIFICATIONS



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk