

4 portar Ethernet PCI Express serveradapter PoE + FEATURES

4-Port 10/100 / 1000T 802.3at PCI Express Review
PoE + (120W) Review Intel I350 Controller till 4 x
RJ45
Dimensioner: 169 x 121 x 18 mm | vikt 251 g
Drifttemperatur temperatur~~POS=HEADCOMP: -10
~ 60 C





SPECIFICATIONS

Driftstemperatur	:	-10 ~ 60 degrees C
Controller	:	Intel I350
Data	:	10/100/1000Mbps
Forsyning	:	PCIe power supply 3.3V ±9% / 12V ±8%
Interface	:	4 x RJ45
LED	:	1000Mbps: LINK: Yellow, ACT: Green 10Mbps/100Mbps: ACT: Green
OS SUPPORT	:	Windows Server 2008R2 64bits Windows Server 2012 64bits Windows Server 2016 64bits Windows 7 32/64bits Windows 8 32/64bits Windows 10 32/64bits Linux 2.6.x, Linux 4.x VMware® 6.0
PCI	:	PCI Express v2.1 (5.0GT/s) x4
Pin	:	1/2 (+), 3/6 (-)
PoE	:	30 Watt Per port
PoE	:	IEEE 802.3at Power over Ethernet Plus/PSE
PoE	:	60W maximum with DC 12V over PCIe slot 120W* maximum with DC 12V over PCIe slot and 4 molex plug from power supply





Svensk Binär Teknik

-ETH-PCIE-4POE

SPECIFICATIONS

Vikt	:	251g
Dimensioner	:	169 x 121 x 18 mm



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.