



Svensk Binär Teknik

KAM-NR-IN

Fristående LPR-kamera för registreringsskyltigenkänning IP67, 1080P PoE. FEATURES

Ny modell förväntas levereras i april 2025

- Dubbelfilig igenkänning
- Upp till 30 fps vid 1920 × 1080
- Fristående databas/loggexport
- IR-avstånd upp till 22 m
- Dag och natt funktion
- Digital I/O (1 in/1 ut)
- SD-kortplats för data
- Inbyggd värmare och fläkt
- Känn igen fordon med hastigheter upp till 100 km/h
- Drivs via POE / 12VDC
- IP67 , Imma
- 31 språk på webbgränssnittet
- CE, FCC, UKCA, LVD, RoHS-kompatibel



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.



SPECIFICATIONS

Digital I/O	:	1 In / 1 Out
Övrig	:	Max car speed: 100 km/h (62 mph)
Forsyning	:	DC 12 V / PoE (IEEE 802.3bt)
Frekvens	:	60/50 fps at 1920 x 1080 (60/50 Hz)
Hukommelse	:	Micro SD card slot (SD/SDHC/SDXC/UHS-I, Class 10) * UHS-II card types not supported
Kanaler	:	3 stream channels
Lyd	:	1 In (microphone jack, 3.5 mm / 0.14") / 1 Out (phone jack, 3.5 mm / 0.14")
Netværk	:	10/100/1000 Base-T Ethernet, RJ-45 connector
Opløsning	:	Up to 30 fps at 1920 x 1080
Protokol	:	DHCP, DNS, DynDNS, FTP, HTTP, HTTPS, ICMP, IPv4, IPv6, Multicast, NTP, QoS (DSCP), RTCP, RTSP, SNMP, SMTP, SSL, TCP/IP, UDP, UPnP, 3GPP/ISMA
Strømforbrug	:	45W max
Drifttemperatur	:	-20 °C ~ 55 °C





Svensk Binär Teknik

KAM-NR-IN

SPECIFICATIONS



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.