

10,1" Panel PC full IP66/IP69K celeron 2930 4GB RAM, 32GB MLC SSD

FEATURES

10,1" PC med panel i rostfritt stål
350 cd/m²
Intel Celeron N2930 1,83 GHz inbyggd processor
8 GB inbyggt DDR3L SDRAM max. 8GB totalt
Platt frontram Design
rostfritt stålhölje av kvalitet 304 (kvalitet 316 är tillval)
IP66 / IP69K klassad med M12-kontakt
Stöd resistiv beröring, förväntad kapacitiv beröring och Glass Touch
på/av-knapp på sidan Kant för hygienisk rengöring
Stöd Ergonomisk mångsidig montering:
Okmontering / platsbesparande VESA 75 x 75 mm montering
ALTERNATIV HÖG LJUSSTYRKA 1000cd/m²



SPECIFICATIONS

CPU	:	Celeron N2930 2M cache, 1.83GHz
USB	:	1 x M12 8 pin USB 2.0 waterproof cover and chain
Driftstemperatur	:	0~50°C
Antal farver	:	16.7M
Approval	:	CE/FCC class A
Ethernet	:	1 x M12 8 pin for LAN with waterproof cover and chain
Forsyning	:	9~36Vdc , power consumption 18Watt
Hukommelse	:	Onboards 4GB DDR3L SDRAM, Max 8GB(option)
LCD	:	10.1"TFT 1280x800
Montering	:	VESA mount 75x75, Option Yoke Mount
OS SUPPORT	:	Windows embedded 7, 8.1 and windows 10 IoT ENT LTSC
Porte	:	1 x M12 8 pin COM1, RS232/422/485 default RS232 with waterproof cover and Chain



SPECIFICATIONS

Synsfelt	:	170(H)x170(V)
Touch	:	Resistive Touch USB, light transmission 80%. Option GLASS and Projected touch
Dimensioner	:	300x220x53mm

