

EPC-I5-6S2L4GW

Fläktlös i5 Embedded PC, 2XRJ45, SIM, HDMI, VGA,
LPT, USB, RS232/422/485, WiFi

FEATURES

- i5 4200U
- 2 x Intel i213 Gbit RJ45
- 1 x SO-DIMM DDR3L Slot, Support 4GB/8GB
- GPIO
- 2X Mini PCIe (Support WiFi, 4G Module)
- LPT
- 6x Com (2 x RS232/422/485 BIOS select)
- HDMI, VGA
- 8 x USB
- Material Aluminium
- TPD: 15W
- OS Support: Win7, Windows 8, Windows 10, Linux
- Auto Power On
- 230X175X50



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk



EPC-I5-6S2L4GW

SPECIFICATIONS

CPU	:	Intel Core i5-4200u
Chipset	:	Intel SOC
USB	:	4 x USB2.0, 4 x USB3.0
Driftstemperatur	:	-10/+60Centigrade (32°F~140°F) needs special RAM and SSD
Övrig	:	Watchdog, Auto power on, RTC, Wake-on-LAN
Antenne	:	2 x inner RF cables and 2 x external antennas
Ethernet	:	2xOnboard Intel i213 Gigabit Network Connection 10/100/1000Mbps BaseT LAN PXE
Forsyning	:	DC +12V~+19V, recommend 12V/5A
GPIO	:	8 x GPIO by Phoenix type Terminal Block
Grafik	:	Intel Haswell- ULT Integrated Graphics Controller Intel HD Graphics 4400
Hukommelse	:	1 x SO-DIMM DDR3L Slot, Support 4GB/8GB DDR3L 1333/1600, LPDDR3 1333/1600
Lyd	:	ALC662 sound chip, 6-channel Intel Lynx Point-LP HD Audio Controller





EPC-I5-6S2L4GW

SPECIFICATIONS

Msata	:	1 x M-SATA3.0 slot for MSATA SSD, support 6Gb/s
OS SUPPORT	:	Win7/8/10/Linux
Porte	:	6 COM, COM1 COM2 can change to RS232/422/485 from BIOS
Porte	:	1xLPT
SATA	:	1 x SATA3.0 slot for SATA HDD or SSD, support 6Gb/s
SIM kort	:	1x SIM Card slot
Udgange	:	1 x VGA, 1 x HD
Watchdog	:	Yes
Vikt	:	Net 1.25kg, Gross 2.0kg
Dimensioner	:	230*175*50mm

