

MON10.4-S

10.4" LCD-skärm med hög ljusstyrka, med 1X AV, 1X
VGA, 1X HDMI

FEATURES

Storlek 10.4"
Anti-Glare
Resolution 1024x768
Aspect Ratio 4:3
Brightness 1500 nits
1 x AV, 1 x VGA, 1 x HDMI
12vdc
256 x 178 x 50mm
-20 ~ 70 c



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk



MON10.4-S

SPECIFICATIONS

Driftstemperatur	:	-20 ~ 70 C
Farve	:	16.7M
Forsyning	:	12VDC
Funktioner	:	Light sensor automatic
Hastighed	:	Response time: 8 ms
Indgang	:	AV x 1, VGA x 1, HDMI x 1
Interface	:	LVDS
Kontrast	:	1200:1
Lysstyrke	:	1500 nits
Læser	:	Vinkel 160 / 160
Montering	:	Vesa
Opløsning	:	1024x768 ratio: 4:3





Svensk Binär Teknik

MON10.4-S

SPECIFICATIONS



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.