

Fläktlös inbyggd dator med 11:e generationens Intel® i7-processor (andra versioner: i3 och i5)

FEATURES

- 11:e generationens Intel® i7-processor (tillval: i3, i5)
- 2 x 260-pin DDR4 SO-DIMM (max 64 GB)
- 1 x M.2 M-nyckel
- 1 x 2,5" hårddisk/SSD
- 16 x I/O
- 4 x KOM
- 3 x LAN (2xPoE)
- 4 x USB 3.1
- Fjärrstyrd PWR
- 1 x DVI-D
- 1 x HDMI
- 1 x DP
- TPM 2.0
- Säker start
- Montering: Vägghäggmontering (tillval: DIN-skena eller VESA)
- Strömingång: 9~36 VDC
- Mått: 210x180x70mm (BxDxH)
- Driftstemperatur -20 ~ 60 °C Med luftflöde





SPECIFICATIONS

CPU	:	Intel® Core™ i7-1185G7E
CPU	:	Intel® Core™ i3-1115G4E
CPU	:	Intel® Core™ i5-1145G7E
Memory Type	:	DDR4
Max. Memory Capacity	:	64
Memory Channels	:	Dual Channel
Graphics	:	Intel® Iris® Xe Graphics
Digital I/O	:	8 x DI & 8 x DO w/ 1.5KV isolation
Expansion	:	1 x M.2 B-Key 2242/3042/3052
Expansion	:	1 x M.2 E-Key 2230
Expansion	:	1 x mPCIe
Power Input	:	DC 9~36V





SPECIFICATIONS

USB	:	4 x USB-A 3.2
Serial	:	2 x DB-9 (RS232)
Serial	:	2 x DB-9 (RS232/422/485)
LAN	:	2x 1Gb LAN
LAN	:	1x 2.5Gb LAN
Audio	:	1 x Mic-in & 1 x Line out
Driftstemperatur	:	-20 ~ 60°C
Storage Temp.	:	-40 ~ 70°C (-40 ~ 158°F)
Operating Humidity	:	10-95% @ 60°C (non-condensing)
Vibration	:	5~500Hz 3 Grms
Shock	:	40G peak acceleration (11 m sec. duration), operation





Svensk Binär Teknik

EPC-GEN11-I7

SPECIFICATIONS

Shock	:	According to IEC 60068-2-27
Vikt	:	3.7kg
Dimensions	:	210 x 180 x 70 mm



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.