



Industrial Panel PC 19" med Capacitive Touch, platt design, Intel Gen7 i5

FEATURES

19" TFT-LCD

Upplösning: 1280x1024

7:e generationens i5 CPU (andra processorer kan erbjudas)

2 x RJ45, 4 x USB3.0, 2 x RS232

9-36V DC 3-polig plint

-20 ~ 60° C arbetstemperatur

437,27 x 316,27 x 60,3 mm

Panelmontering/ 75 mm VESA-montering





SPECIFICATIONS

CPU	:	Gen7 i5
USB	:	4 x USB 3.0
Driftstemperatur	:	-20° C ~ +60° C
Ethernet	:	2 x GbE LAN RJ45
Hukommelse	:	8GB MAX
Input	:	9-36V DC 3 pin terminal block
Lysstyrke	:	250 nits
Opløsning	:	1280 x 1024
OS SUPPORT	:	Windows 10 / Ubuntu□CentOS
Porte	:	2x RS-232/422/485
SATA	:	1 x SATA til 2.5"
Skærm	:	19" TFT-LCD





Svensk Binär Teknik

IPP19-GEN7

SPECIFICATIONS



Binär Teknik AB
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.