

Inbyggt CPU-kortformat 3,5" i5 gen. 8/9, VGA, DP, HDMI, LVDS trippelskärmsstöd, 2xRJ45, 6x USB, 4x COM

## FEATURES

- Inbyggd Intel® 8:e och 9:e generationens Intel® Core™ H-serieprocessor
- 2 x DDR4 SO-DIMM 2666 MHz upp till 64 GB
- Integrerad VGA, DisplayPort, HDMI, LVDS för stöd för tre skärmar
- 1 x Intel® Gigabit PHY LAN
- 1 x Intel® Gigabit LAN
- 1 x MiniPCIe (stöd mSATA)
- 1 x M.2 (nyckel E)
- 2 x SATA3
- 4 x USB2.0
- 4 x USB3.1 Gen2
- 4 x COM
- 1 x GPIO
- 1 x PS/2
- Stöd Watchdog Timer
- Stöd 4K-upplösning
- DC-ingång 9~35V
- 20°C ~ 60°C





## SPECIFICATIONS

|                  |   |                                                                                                                     |
|------------------|---|---------------------------------------------------------------------------------------------------------------------|
| CPU              | : | I5 8th & 9th Gen Core™ H-series Processors. Package Type: FCBGA1440                                                 |
| Chipset          | : | Intel® QM370                                                                                                        |
| USB              | : | 4xUSB 2.0, 4xUSB3.1 Gen.2                                                                                           |
| Driftstemperatur | : | Operating within 0 ~ 60°C Storage within -20 ~ 80°                                                                  |
| Ethernet         | : | 1 x Intel® i219-LM Gigabit PHY LAN(Support iAMT 12.0), 1 x Intel® i210-AT Gigabit LAN                               |
| Forsyning        | : | DC input 9~35V                                                                                                      |
| GPIO             | : | Onboard programmable 8-bit digital I/O interface                                                                    |
| Grafik           | : | Intel® UHD Graphics, VGA, HDMI, Sisplay POrt                                                                        |
| Luftfugtighed    | : | 10%~90%, non-condensing                                                                                             |
| Lyd              | : | Realtek ALC262 HD Audio                                                                                             |
| SATA             | : | Intel® QM370 built-in 2 x Serial ATA3 interface up to 600MB/s Support RAID 0, 1 and Intel Rapid Storage Technology. |
| Watchdog         | : | Generates a system reset with internal timer for 1min/s ~ 255min/s                                                  |





Svensk Binär Teknik

BK3.5-I5-GEN89

## SPECIFICATIONS

Dimensioner : 3.5" 146x101mm(lxW)



Binär Teknik AB  
Lugna Gaten 39 Malmö, 211 59 Sweden



042 14 10 85



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.